

## CLAIMS

What is claimed is as follows:

Sub A27 1. A holder adapted to support a stringed bow in a generally horizontal position outwardly from a hunters body at a position below the hunter's waist comprising:

a support member;

5 a spacing member combined with the support member and extending generally inwardly and upwardly therefrom;

an engagement member combined with said spacing member and being disposed generally above and inward from the support member .

2. The holder of Claim 1 wherein:

the support member comprises an inward section and an outward section section, said sections forming an upwardly concave surface.

3. The holder of Claim 2 wherein:

the upwardly concave surface is rounded.

4. The holder of Claim 2 wherein:

the support member further comprises a bottom side connected to the inward section and the outward section and extending therebetween.

5. The holder of Claim 2 wherein:  
the support member inward section is adjustable.
6. The holder of Claim 1 wherein:  
the support member comprises a wall.
7. The holder of Claim 6 wherein  
the support member wall has an opening formed therein for  
accommodating an arrow.
8. The holder of Claim 1 wherein:  
the support member comprises two or more support arms.
9. The holder of Claim 1 wherein:  
the spacing member comprises a wall having an inward section and a  
outward section, said outward section being combined with the support member  
and said inward section being combined with the engagement member.
10. The holder of Claim 1 wherein:

the spacing member comprises an arm having an inward section and a outward section, said outward section being combined with the support member and said inward section being combined with the engagement member.

11. The holder of Claim 9 or 10 wherein:  
the spacing member is adjustable.

12. The holder of Claim 1 wherein the spacing member comprises:  
a reinforcement body

13. The holder of Claim 1 wherein:  
the engagement member comprises a wall having at least two openings  
formed therein.

14. The holder of Claim 1 wherein:  
the engagement member comprises a wall having a outward section and an  
inward section combined to form an upwardly convex surface and wherein  
said engagement member outward section is combined with the spacing  
member.

15. The holder of Claim 14 wherein:

the upwardly convex surface is rounded.

16. The holder of Claim 1 wherein:  
the engagement member comprises an arm.
17. The holder of Claim 16 wherein:  
the engagement member arm comprises a loop section having an opening formed therein.
18. The holder of Claim 1 wherein:  
the engagement member comprises at least two arms, each of a said at least two arms comprising a loop section having an opening formed therein.
19. The holder of Claim 1 wherein:  
the spacing member is pivotally combined with the engagement member.
20. The holder of Claim 1 wherein:  
the spacing member is pivotally combined with the support member.
21. The holder of Claim 1 wherein:  
the engagement member further comprises a strap.

22. The holder of Claim 1 further comprising:

a strap.

ADD A37

009022 467250